





## Installation - Day/Night with Continuous Chain

Read the instructions carefully before assembling and using the product.  
Assembling process can be completed by non-professionals. For indoor use only.


### ⚠ WARNING

- Young children can strangle in the loop of pull cords, chains and tapes, and cords that operate window coverings.
- To avoid strangulation and entanglement, keep cords out of the reach of young children. Cords may become wrapped around a child's neck.
- Move beds, cots and furniture away from window covering cords.
- Do not tie cords together.  
Make sure cords do not twist together and form a loop.




**Step One:**

- Attach the upper set of end caps before installing the brackets
- Align the pins on the inside of the end cap with the holes on the brackets as shown and press together





Outside Mount

Inside Mount

**Step Two:**

- Use the brackets to mark the screw locations
- On outside mount, make your marks so the distance from the outside edge of the bracket to the outside edge of the other bracket equals your ordered width

Note: Brackets must be level to each other for the shade to operate properly (for both inside mount and outside mount).


**Step Three:**

- The idle side attachment should be on the bracket opposite of the chain on the shade
- Simply click into the bracket if it is not already attached


**Step Four:**

- Slide the idle side of the shade onto the idle pin


Note: The end plug is already installed on the idle side in the tube of the shade

**Step Five:**

- Click the control side of the shade into bracket

**Step Six:**

- Adjust the clutch so chain points to front to allow clearance to install the bottom/back shade




- The idle side attachment should be on the bracket opposite of the chain for the bottom/back shade (simply click into the bracket if it is not already attached)

**Step Seven:**


- Slide the idle side of the shade onto the idle pin


Note: The end plug is already installed on the idle side in the tube of the shade



**Step Eight:**

- Click the control side of the shade into bracket





## ⚠️ WARNING


Install the child safety device as specified in the childsafe manual.



### Final Step:




- Install the child safety device

## Removal




## Installation - Fascia: Day/Night with Chain




Read the instructions carefully before assembling and using the product.  
Assembling process can be completed by non-professionals. For indoor use only.




### Inside mount





### Outside mount




1




2




3




4




5




6





7




8




9





10



11




12




# Installation - Fascia Day/Night with Motorization

## INSTALLATION MANUAL


Read the instructions carefully before assembling and using the product.  
Assembling process can be completed by non-professionals. For indoor use only.




2 x




2 x




4 x




1 x




1 x




4 x





### Inside mount




### Outside mount





Deduct 45 mm or 1 3/4 inch from opening width for screw positions





1




2




3




4




5




6






7



8



9

